Fax	ked prescriptions will only be	e accepted	from a prescriber. F	Patients mu	ıst bring an original pr	escription to the pharm	acy, and cannot fax the	se referra	al forms to Senderra.		
		Rheumatology Enrollment Form		Prescriber:					NPI:		
	I - 2			Super	rvising Physician	NPI:					
		Physicia 855-460	an Offices Call -7928	. Addre	ess:	Tax ID:					
Specialty Pharmacy		_		Phone	e:		I				
3712 E. Plano Parkway, Ste. 200 Fax: 88			8-777-5645	Conta	ct:						
	to be sent & received via fax										
PATIENT INFORMATION Nome: DOR: SS#:											
Name:		$\square_{M} \square$	F 🗆 Trans M 🗖	Trans F D Other	DOB://_		SS#: 				
Street:				City:		State:		ZIP:			
Phone: Alt. Phon			ie:		□ _{English}	□ _{Spanish} □ _O	ther	Wt.:	Ht.:		
PRESCRIPTION											
Has the patient received a loading dose/starter kit? Yes Start Date:/ DNo SHIP TO: Patient's Home Doctor's Office Other:											
Drug Directions & Quantity										Refills	
Kevzara®	150 mg Pre-filled Syringe 150 mg Pen		☐ Inject 150 mg SQ every 2 weeks (Quantity: 2)								
Novemb	200 mg Pre-filled Syringe 200 mg Pen		☐ Inject 200 mg SQ every 2 weeks (Quantity: 2)								
Olumiant®	☐ 2 mg Tablets		☐ Take 2 mg f	Take 2 mg PO once daily (Quantity: 30)							
			INTRAVENOUS (IV):								
Orencia®	☐ _{250 mg} Vials		INITIAL: Infuse mg via IV on week 0, 2, and 4(Quantity: QS 3 doses)								
	Pre-filled Syringe		MAINTENANCE: Infuse mg via IV every 4 weeks (Quantity: QS 1 dose)								
	☐ ClickJect™		SUBCUTANEOUS (SQ):								
			☐ Inject 125mg SQ once weekly (Quantity: 4)								
Otezla®	28 Day Starter Pack		Take as directed per package instructions (Quantity: 55)								
	30 mg Tablets		☐ Take 30 mg PO twice daily (Quantity: 60) ☐ Take 15 mg PO once daily (Quantity: 30)								
Rinvoq™	15 mg Tablets		☐ Take 15 mg	PO once	daily (Quantity: 30))					
Simponi®	□ SmartJect® (Pen) □ Pre-filled Syringe □ Inject 50 mg SQ once a month (Quantity: 1)										
Xeljanz®	5 mg Tablets			Take 5 mg PO twice daily (Quantity: 60) Take 11 mg PO once daily (Quantity: 30)							
Xeljanz® XR	11 mg Tablets	_	☐ Take 11 mg					_			
DI EACE EA	V CORV OF BREEC	DIDTIO	MEDICAL C		DICAL INFORM		ANY CLINICAL I	IOTE	P DECADDING THED	A DV	
PREVIOUS THE				MEDICAL CARD, FRONT AND BACK, AS WELL AS ANY CLINICAL NOTE d & Failed (Duration): Not Tolerated: Contr					indication:	AF I	
Would oxide)					_	
1 laquotiii			())					_	
- Napioxen/ Aleve			//)					-	
_ Libici			/)	<u> </u>				_	
			/)	<u> </u>				-	
Omizia)					_	
□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □									n or		
I_	atoid Arthritis, Unspecif		system inolvement M06.09 Rheumatoid Arthritis without Rheumatoid Factor, mu						actor multiple sites		
☐ M35.2 Behcet's		ileu	☐ M35.3 Polymyalgia Rheumatica								
Other:	discase				— W33.31	olymyaigia i tricui	natioa				
Date of Diagnosi	s://			Allergi	ies:						
Active TB is ruled	out: DYes [J _{No D}	ate:/	/	Hep B ru	ed out/treated:	□ _{Yes} □ _{No}	Date	e:/		
Additional Clinic	al Information:										
					IJECTION TRAI						
☐ Patient has received pen and injection training ☐ Physician's office to provide injection training ☐ Senderra to coordinate injection training PRESCRIBER SIGNATURE											
To Prescriber: By signing this form and utilizing our services, you are also authorizing Senderra to serve as your prior authorization designated agent in dealing with medical and prescription											
insurance companies, and co-pay assistance foundations. Prescriber: Date:											
									<u> </u>		
IMPORTANT: This fa	ax is intended to be delive	red only to	the named addre		NFIDENTIALITY I ontains material that		ietary or exempt from	disclosu	ıre under applicable law. If	you are	

not the named addressee, you should not disseminate, distribute, or copy this fax. Please notify the sender immediately if you have received this document in error and then destroy this document immediately.