Fa	Physician Offices Call: 855-460-7928			tients must bring an original prescription to the pharmacy, and cannot fax these referral f							
				ising Physician:	NPI:						
CENIDEDDA			Address	s:	Tax ID:						
SLINDLIKKA		000-400	55- 4 66-7 525		Phone: Fax:						
Specialty Pharmacy 3712 E. Plano Parkway, Ste. 200		Fax: 888	8-777-5645	Contact							
Plano, TX 75074				Contact	i.						
This prescription form is	to be sent & received via fax			PAT	IENT INFORMA	ATION					
Name:				□м□г	Trans M 🗆	Trans F D Other	DOB:	,	SS#:		
Street:				City:		State:		ZIP:		-	
Phone: Alt. Phor			ne:		П			Wt.:	Ht.:		
						□ Spanish □ O	ther:				
Has the patient re	ceived a loading dose	/starter ki	it? DYes Start		PRESCRIPTIO		Patient's Home	Docto	r's Office Other:		
Drug		7010110111				Directions & Qu	antity			Refills	
Kevzara [®]	☐ 150 mg Pre-filled Syringe ☐ 150 mg Pen ☐ 200 mg Pre-filled Syringe		☐ Inject 150 mg SQ every 2 weeks (Quantity: 2)								
			☐ Inject 200 mg SQ every 2 weeks (Quantity: 2)								
Olumiant® 2 mg Tablet			☐ Take 2 mg PO once daily (Quantity: 30)								
Olumnant 2 mg rablet			INTRAVENOUS (IV):								
Orencia®	□ 250 mg Vials □ Pre-filled Syringe □ ClickJect™		☐ INITIAL: Infuse mg via IV on week 0, 2, and 4(Quantity: QS 3 doses)								
			☐ MAINTENANCE: Infuse mg via IV every 4 weeks (Quantity: QS 1 dose)								
			SUBCUTANEOUS (SQ):								
			☐ Inject 125mg SQ once weekly (Quantity: 4)								
Otezla [®]	30 mg Starter Pack	Take as directed per package instructions (Quantity: 55)									
	30 mg Tablet		Take 30 mg PO twice daily (Quantity: 60)								
	XR Starter Pack	Take as directed per package instructions (Quantity: 41)									
XR 75 mg Tablet			Take 75 mg PO once daily (Quantity: 30)								
Rinvoq®	15 mg Tablets SmartJect® (Pen)		☐ Take 15 mg PO once daily (Quantity: 30)								
Simponi®	□ Pre-filled Syringe □ Inject 50 mg SQ once a month (Quantity: 1)										
Xeljanz® 5 mg Tablet			☐ Take 5 mg PO twice daily (Quantity: 60) ☐ Take 11 mg PO once daily (Quantity: 30)								
Xeljanz® XR	11 mg Tablet		☐ Take 11 mg								
DI FASE FA	X COPY OF PRESC	RIPTION	N/MEDICAL C		ICAL INFORM		ANY CLINICAL	NOTES	S REGARDING TH	IFRADV	
PREVIOUS THE			ed & Failed (D			olerated:	AIT CLINION		indication:		
moundation state			.)							
Naproxen / Aleve											
□ Enbrel			\								
☐ Humira ☐ Cimzia ☐		\)								
		\)								
<u> </u>	atoid Arthritis with Rhe		\	/_ fied		— Rheumatoid Arthr	itis with Rheuma	toid Facto	or of mult. sites w/o	organ or	
☐ M06.9 Rheuma	atoid Arthritis, Unspecit	fied		M06.09 Rheumatoid Arthritis without Rheumatoid Factor, multiple sites							
☐ M31.6 Other G	iant Cell Arteritis		☐ M35.2 Behcet's disease								
☐ M35.3 Polymya	algia Rheumatica				Other: _						
Date of Diagnosi	s://			Allergie	s:						
Active TB is ruled	out: DYes [J _{No D}	ate:/		Hep B rule	ed out/treated:	□ _{Yes} □ _{No}	o Date	e://		
Additional Clinic	al Information:										
				INJ	ECTION TRAIN	NING					
□ _{Pa}	tient has received pen a	ınd injectio	on training	Physician	's office to provide	e injection training	☐ Senderra	to coord	inate injection training	<u> </u>	
To Prescriber: Prescri	igning this form and utilizir	na our com	vices you are also		CRIBER SIGN		zation decignated a	agent in da	aling with medical and	nrescription	
insurance companies	igning this form and utilizing its and co-pay assistance f			auuionzing	Serve	as your prior authori			amiy willi medical and	hiesouhnou	
Prescriber:								Date:	/ /		
шровтин			the second second		IDENTIALITY N						
	ax is intended to be delive essee, you should not diss ely.										

Rheumatology I-Z Enrollment (Rev. 11/11/2025)