Faxe	d prescriptions will only	be accepte	d from a prescri	oer. Patie	ents must	bring an o	riginal prescription to the	e pha	armacy, and ca	annot fax	these referra	al forms to	Senderra.			
			Miscellaneous Immunology Enrollment Form			Prescriber:							NPI:			
						Supervising Physician:							NPI:			
Specialty Pharmacy			Physician Offices Call: 855-460-7928		Address:							Tax ID:				
					Phone:	Phone: Fax:										
Plano, TX 75074	Contact	Contact:														
This prescription form is to be sent & received via fax Fax: 888-777-5645																
PATIENT INFORMATION Name: □ M □ F □ Trans M □ Trans F □ Other □ DOB: , , , SS#:																
Street:		<u> </u>				State:	//		ZIP:							
Phone:	:		□ English □ Spanish			Othor: Wt.:			Ht.:							
					RIPTION	Othe	er:									
Has the patient receiv	ed a loading dose/	starter kit?	☐Yes Start I	Date:			□ _{No} SHIP TO: □			□ _{Do}	ctor's Offic	e 🗆 Oth	ner:			
Drug	П						Directions	& Q	uantity					Refills		
Infusion Supplies	100 mL NS IV b 250 mL NS IV b	ag ag														
□ _{Actemra®}	☐ 80 mg Vial		☐ Infuse mg OR 8 mg/kg via IV over 1 hour (Quantity: QS 1 dose)													
□ _{Tyenne®}	200 mg Vial 400 mg Vial	Infuse mg OR 12 mg/kg via IV over 1 hour (Quantity: QS 1 dose)														
	120 mg/5 mL Vial		INTRAVENOUS (IV):													
Benlysta [®]	□ 400 mg/20 mL \	☐ INITIAL: Infusemg or 10 mg/kg via IV over 1 hour every 2 weeks, for 3 doses (Quantity: QS 3 doses) ☐ MAINTENANCE: Infuse mg OR 10 mg/kg via IV over 1 hour every 4 weeks (Quantity: QS 1 dose)														
	_	SUBCUTANEOUS (SQ):														
	200 mg Autoinjector 200 mg Pre-filled syringe		□ INITIAL: Inject 400 mg SQ (two 200 mg injections) once weekly for four weeks (Quantity: 8) MAINTENANCE: Inject 200 mg SQ every week (Quantity: 4) ***Dosing intended for Lupus Nephritis****													
			☐ MAINTENANCE: Inject 200 mg SQ every week (Quantity: 4) ☐ Inject 200 mg SQ every week (Quantity: 4)													
Cosentyx®	☐ _{125 mg} Vial	□ INITIAL:	nfuse 6	mg/kg via	IV over 3	0 minutes at week 0 (-				***Max. 300 mg/infusion***				
	Weight Required:			MAINTENANCE: Infuse 1.75 mg/kg via IV over 30 minutes every 4 weeks thereafter (Quantity: QS 1 dose)												
Nucala [®]	100 mg Viai 100 mg Autoinjector		☐ Inject 300 mg SQ every 4 weeks (Quantity: 3)													
Remicade®																
□ Avsola® □ Inflectra®	□ Avsola® □ Inflectra® □ 100 mg Vial □ Inflectra® □ Inflectra® □ Inflectra® □ 100 mg Vial □ Inflectra® □ Infl															
Renflexis®	Renflexis® MAINTENANCE: Infuse mg OR mg/kg via IV every weeks thereafter (Quantity: QS 1 dose)										1 dose)					
□ _{Infliximab} □ _{Rituxan®}																
□ _{Riabni®}	ng on □ Day 1 and Day 15 □ Once a week for 4 weeks □ Other:															
□ _{Ruxience®} □ _{Truxima®}	☐ 500 mg/50 mL Vial		100 mg Vial Quantity: 500 mg Vial Quantity:													
— Truxiiiu	☐ 50 mg Vial		□ _{INITIAL:}	nfuse 2	mg/kg via	IV over 3	0 minutes at weeks 0	and	4 (Quantity:	QS 2 do	ses)					
Simponi Aria®	Weight Required:		MAINTENANCE: Infuse 2 mg/kg via IV over 30 minutes every 8 weeks thereafter (Quantity: QS 1 dose)													
	Height Required:		intended fo								***Dosing intended for					
Height Required: MAINTENANCE: Infuse 80 mg/m² via IV over 30 minutes every 8 weeks thereafter (Quantity: QS 1 dose) MEDICAL INFORMATION																
							BACK, AS WELL	AS A	ANY CLINIC	CAL NO			-			
PREVIOUS THERAPIE	ES:	Tried □ (& Failed (Dura	ation):)			Not Tolerated:				Contr	aindicatio	on:			
	orders of polymorphor						19 Hypereosinophilic									
D89.839 Cytokine r	0 Crohn's disease, un Pemphigus Vulgaris	spec	cified, without	t complic	ations											
☐ K51.90 Ulcerative colitis, unspecified, without complications ☐ L40.0 Psoriasis Vulgaris ☐ L40.50 Arthropathic Psoriasis, unspecified (Psoriatic Arthritis)																
M05.9 Rheumatoid	Arthritis with Rheuma	atoid Factor	, unspecified			□ мо6.9	Rheumatoid Arthritis,	uns	specified							
□ M08.00 Unspecified Juvenile Idiopathic Arthritis of Unspecified Site □ M31.30 Granulomatosis with polyangiitis (Wegener's) □ M31.7 Microscopic polyangiitis																
M31.30 Granulomatosis with polyangiitis (Wegener's) M32.10 Systemic Lupus Erythematosus, organ or system involvement unspecified M32.14 Glomerular disease in systemic lupus erythematosus (Lupus Nephritis)																
M45.9 Ankylosing Spondylitis, unspecified M45.40 Non-Radiographic Axial Spondyloarthritis (Nr-axSpA) of unspecified sites in spine																
Q78.2 Osteopetrosi Date of Diagnosis:	s / /			ΔII	ergies:	Other										
Active TB is ruled out:	□ _{Yes}	□ _{No}	Date: _	/	/	Hep B	ruled out/treated:		□ _{Yes}	□ _N	o Date:	/				
Additional Clinical Inf				-												
_							TRAINING									
	Patient has received	PRE	SCRIBER SI	GNATU	RE REQ	UIRED	o provide injection train	UR	E NOT ALL	OWED	coordinate					
To Prescriber: By signing companies, and co-pay a		g our service	es, you are also	authorizir	ng Sender	ra to serve	as your prior authorizat	tion c	designated age	ent in dea	aling with me	dical and p	prescription insura	nce		
PRODUCT SUBSTITUTION PERMITTED DISPENSE AS WRITTEN																
X			Date: _	/_	CONF	IDENTI/	X ALITY NOTICE					Date: _				
IMPORTANT: This fax is addressee, you should n	s intended to be deliver ot disseminate, distribu	ed only to th ite, or copy t	e named addres his fax. Please	see. It c	ontains m sender in	aterial that nmediately	is confidential, proprieta	ary o	r exempt from cument in erro	disclosu or and the	re under app en destroy th	licable law is documer	. If you are not the nt immediately.	e named		